ELSEVIER

Signal Processing: *Image Communication* 14 (1999) 889–891

SIGNAL PROCESSING: IMAGE COMMUNICATION

www.elsevier.nl/locate/image

Author index of Volume 14

(The issue number is given in front of the page numbers)

Abdel-Wahab, H., *see* **S. Senbel** (5) 425–442
Anastassiou, D., *see* **J. Zamora** (6–8) 635–654
Arnold, J.F., *see* **R. Mathew** (9) 761–782
Arnold, J.F., M.R. Frater and **J. Zhang,** Error resilience in the MPEG-2 video coding standard for cell based networks – A review (6–8) 607–633
Arnold, J.F., *see* **M.R. Frater** (3) 269–275

Bendak, G., *see* **K.S. Thyagarajan** (3) 245–267
Bhaskaran, V., *see* **M. Khansari** (6–8) 493–504
Blume, H., Nonlinear vector error tolerant interpolation of intermediate video images by weighted medians (10) 851–868
Boer, E.R., *see* **K.S. Thyagarajan** (3) 245–267

Chang, L.-W. and **Y.-E. Shen,** Numerical solutions for orthogonal wavelet filters by Newton method (10) 879–887
Chang, S.-F., *see* **J. Zamora** (6–8) 635–654
Chen, C.W. and **Z. Sun,** Uniform trellis coded quantization for image transmission over noisy channels (6–8) 575–584
Chen, Y.-C. *see* **Y.-F. Hsu** (5) 397–412
Cheung, G., *see* **R. Talluri** (6–8) 505–518
Christopoulos, V.A., P. De Muynck and **J. Cornelis,** Contour simplification for segmented still image and video coding: algorithms and experimental results (4) 335–357
Cornelis, J., *see* **V.A. Christopoulos** (4) 335–357

De Muynck, P., *see* **V.A. Christopoulos** (4) 335–357
Deng, G., *see* **S. Marusic** (10) 869–878
Deng, G., An interpolative subband coding algorithm for lossless image compression (9) 721–736
Ducla-Soares, L. and **F. Pereira,** Error resilience and concealment performance for MPEG-4 frame-based video coding (6–8) 447–472

Elliger, B., Analysis of motion compensated filters concerning motion correctness and accuracy (9) 697–720
Ezra, D., *see* **G.J. Woodgate** (1–2) 131–145

Falkenhagen, L., *see* **M. Ziegler** (1–2) 173–194
Fan, H. and **K.N. Ngan,** Disparity map coding based on adaptive triangular surface modelling (1–2) 119–130
Fazel, K., *see* **S. Kaiser** (6–8) 655–676
Fränti, P. and **T. Kaukoranta,** Binary vector quantizer design using soft centroids (9) 677–681
Frater, M.R., *see* **J.F. Arnold** (6–8) 607–633
Frater, M.R., J.F. Arnold and **J. Zhang,** MPEG 2 video error resilience experiments: The importance considering the impact of the systems layer (3) 269–275
Fukunaga, S., Y. Matsumura and **T. Nakai,** Error resilient video coding controlled by backward channel signaling (6–8) 531–540

García, N., *see* **J.M. Menéndez** (10) 785–798
Grüneberg, K., *see* **J.-R. Ohm** (1–2) 147–171

Hagenauer, J., E. Hundt, T. Stockhammer and **B. Wimmer,** Error robust multiplexing for multimedia applications (6–8) 585–597
Harashima, H., *see* **T. Naemura** (1–2) 21–37
Harrold, J., *see* **G.J. Woodgate** (1–2) 131–145
Hendriks, E., *see* **J.-R. Ohm** (1–2) 147–171
Holliman, N.S., *see* **G.J. Woodgate** (1–2) 131–145
Hong, M.-C., H. Schwab, L.P. Kondi and **A.K. Katsaggelos,** Error concealment algorithms for compressed video (6–8) 473–492
Hsieh, C.-H., *see* **Y.-F. Hsu** (5) 397–412
Hsu, Y.-F., C.-H. Hsieh and **Y.-C. Chen,** Embedded SNR scalable MPEG-2 video encoder and its associated error resilience decoding procedures (5) 397–412
Hundt, E., *see* **J. Hagenauer** (6–8) 585–597

Imura, K. and **Y. Machida,** Error resilient video coding schemes for real-time and low-bitrate mobile communications (6–8) 519–530
Inoue, S., *see* **J.-I. Park** (1–2) 7–19
Itoh, Y., Bi-directional motion vector coding using Universal VLC (6–8) 541–557
Izquierdo, M.E., *see* **J.-R. Ohm** (1–2) 147–171

Järvi, A., J. Lehtinen and **O. Nevalainen,** Variable quality image compression system based on SPIHT (9) 683–696
Jiang, J., Image compression with neural networks – A survey (9) 737–760
Jones, G.R., *see* **G.J. Woodgate** (1–2) 131–145

PII: S0923-5965(99)00039-9 © 1999 Elsevier Science B.V.

Kaiser, S. and **K. Fazel,** Comparison of error concealment techniques for an MPEG-2 video decoder in terrestrial TV-broadcasting (6–8) 655–676
Kalivas, D., *see* **M. Ziegler** (1–2) 173–194
Kalivas, D., *see* **J.-R. Ohm** (1–2) 147–171
Kaneko, M., *see* **T. Naemura** (1–2) 21–37
Karl, M., *see* **J.-R. Ohm** (1–2) 147–171
Katsaggelos, A.K., *see* **M.-C. Hong** (6–8) 473–492
Kaukoranta, T., *see* **P. Fränti** (9) 677–681
Khansari, M. and **V. Bhaskaran,** A low-complexity error-resilient H.263 coder (6–8) 493–504
Kim, H.S., *see* **Y.H. Moon** (4) 325–333
Kim, J.H., *see* **Y.H. Moon** (4) 325–333
Kim, Y.S., *see* **Y.H. Moon** (4) 325–333
Kompatsiaris, I., *see* **D. Tzovaras** (10) 817–840
Kompatsiaris, I., D. Tzovaras and **M.G. Strintzis,** Flexible 3D motion estimation and tracking for multiview image sequence coding (1–2) 95–110
Kondi, L.P., *see* **M.-C. Hong** (6–8) 473–492

Lee, C.W., *see* **S.J. Lee** (4) 311–323
Lee, S.J., K.H. Yang, J.S. Song and **C.W. Lee,** An efficient memory allocation scheme for Huffman coding of multiple sources (4) 311–323
Lehtinen, J., *see* **A. Järvi** (9) 683–696
Li, W., *see* **E. Salari** (10) 811–816
Lin, F.-H. and **R.M. Mersereau,** Rate–quality tradeoff MPEG video encoder (4) 297–309
Liu, J., *see* **K. Talmi** (10) 799–810
Liyanapathirana, R., *see* **C.W. Yap** (6–8) 559–574
Lonardi, S. and **P. Sommaruga,** Fractal image approximation and orthogonal bases (5) 413–423

Machida, Y., *see* **K. Imura** (6–8) 519–530
Maier, M.W., *see* **M.S. Moellenhoff** (1–2) 55–69
Marusic, S. and **G. Deng,** New prediction schemes for lossless coding of fullband and subband images (10) 869–878
Marvasti, F., *see* **A. Sharaf** (3) 209–227
Mathew, R. and **J.F. Arnold,** Efficient layered video coding using data partitioning (9) 761–782
Matsumura, Y., *see* **S. Fukunaga** (6–8) 531–540
Menéndez, J.M., N. García, L. Salgado and **E. Rendón,** Model-based analytical FOE determination (10) 785–798
Mersereau, R.M., *see* **F.-H. Lin** (4) 297–309
Moccagatta, I., *see* **R. Talluri** (6–8) 505–518
Moellenhoff, M.S. and **M.W. Maier,** Characteristics of disparity-compensated stereo image pair residuals (1–2) 55–69
Moon, Y.H., H.S. Kim, Y.S. Kim and **J.H. Kim,** A novel fast fractal decoding algorithm (4) 325—333
Moseley, R., *see* **G.J. Woodgate** (1–2) 131–145

N. Herodotou, K.N. Plataniotis and **A.N. Venetsanopoulos,** Automatic location and tracking of the facial region in color video sequences (5) 359–388
Naemura, T., M. Kaneko and **H. Harashima,** Orthographic approach to representing 3-D images and interpolating light rays for 3-D image communication and virtual environment (1–2) 21–37
Nag, Y., *see* **R. Talluri** (6–8) 505–518
Nagan, K.N., *see* **H. Fan** (1–2) 119–130
Nakai, T., *see* **S. Fukunaga** (6–8) 531–540
Nevalainen, O., *see* **A. Järvi** (9) 683–696
Ngan, K.N., *see* **C.W. Yap** (6–8) 559–574

Ogunbona, P.O., *see* **J. Shanbehzadeh** (3) 229–243
Ohm, J.-R., K. Grüneberg, E. Hendriks, M.E. Izquierdo, D. Kalivas, M. Karl, D. Papadimatos and **A. Redert,** A realtime hardware system for stereoscopic videoconferencing with viewpoint adaptation (1–2) 147–171
Ohya, J., *see* **K. Sengupta** (1–2) 39–53

Papadimatos, D., *see* **J.-R. Ohm** (1–2) 147–171
Paragios, N. and **G. Tziritas,** Adaptive detection and localization of moving objects in image sequences (4) 277–296
Park, J.-I. and **S. Inoue,** Acquisition of sharp depth map from multiple cameras (1–2) 7–19
Pedersini, F., P. Pigazzini, A. Sarti and **S. Tubaro,** 3D area matching with arbitrary multiview geometry (1–2) 71–94
Pereira, F., *see* **L. Ducla-Soares** (6–8) 447–472
Pigazzini, P., *see* **F. Pedersini** (1–2) 71–94
Plataniotis, K.N., *see* **N. Herodotou** (5) 359–388
Po, L.-M., *see* **Y. Zhang** (3) 195–208

Ramanathan, V., *see* **K.S. Thyagarajan** (3) 245–267
Redert, A., *see* **J.-R. Ohm** (1–2) 147–171
Rendón, E., *see* **J.M. Menéndez** (10) 785–798

Salari, E. and **W. Li,** A fast quadtree motion segmentation for image sequence coding (10) 811–816
Salgado, L., *see* **J.M. Menéndez** (10) 785–798
Sarti, A., *see* **F. Pedersini** (1–2) 71–94
Schwab, H., *see* **M.-C. Hong** (6–8) 473–492
Senbel, S. and **H. Abdel-Wahab,** Scalable and robust image compression using quadtrees (5) 425–442
Sengupta, K. and **J. Ohya,** Novel scene generation, merging and stitching views using the 2D affine space (1–2) 39–53
Seytter, F., An efficient multiplex architecture for mobile MPEG-4 systems (6–8) 599–606
Shanbehzadeh, J. and **P.O. Ogunbona,** Index compressed tree-structured vector quantisation (3) 229–243
Sharaf, A. and **F. Marvasti,** Motion compensation using spatial transformations with forward mapping (3) 209–227
Shen, Y.-E., *see* **L.-W. Chang** (10) 879–887
Skowronski, J., Pel recursive motion estimation and compensation in subbands (5) 389–396
Sommaruga, P., see S. Lonardi (5) 413–423
Song, J.S., *see* **S.J. Lee** (4) 311–323
Stelmach, L.B. and **W.J. Tam,** Stereoscopic image coding: Effect of disparate image-quality in left- and right-eye views (1–2) 111–117
Stockhammer, T., *see* **J. Hagenauer** (6–8) 585–597
Strintzis, M.G., *see* **D. Tzovaras** (10) 817–840

Strintzis, M.G., *see* **I. Kompatsiaris** (1–2) 95–110
Sun, Z., *see* **C.W. Chen** (6–8) 575–584

Talluri, R., I. Moccagatta, Y. Nag and **G. Cheung,** Error concealment by data partitioning (6–8) 505–518
Talmi, K. and **J. Liu,** Eye and gaze tracking for visually controlled interactive stereoscopic displays (10) 799–810
Tam, W.J., *see* **L.B. Stelmach** (1–2) 111–117
ter Horst, R., *see* **M. Ziegler** (1–2) 173–194
Thyagarajan, K.S., G. Bendak, E.R. Boer and **V. Ramanathan,** A strategy for satellite data archival. Low noise variable-rate vector quantization with application to AVHRR satellite images: A tutorial review (3) 245–267
Tubaro, S., *see* **F. Pedersini** (1–2) 71–94
Tziritas, G., *see* **N. Paragios** (4) 277–296
Tzovaras, D., *see* **I. Kompatsiaris** (1–2) 95–110
Tzovaras, D., I. Kompatsiaris and **M.G. Strintzis,** 3D object articulation and motion estimation in model-based stereoscopic videoconference image sequence analysis and coding (10) 817–840

Ulbricht, L., *see* **J. Zamora** (6–8) 635–654

Venetsanopoulos, A.N., *see* **N. Herodotou** (5) 359–388

Wang, D., Improvement of region-based motion estimation by considering uncovered regions (10) 841–849
Wimmer, B., *see* **J. Hagenauer** (6–8) 585–597
Woodgate, G.J., D. Ezra, J. Harrold, N.S. Holliman, G.R. Jones and **R.R. Moseley,** Autostereoscopic 3D display systems with observer tracking (1–2) 131–145

Yang, K.H., *see* **S.J. Lee** (4) 311–323
Yap, C.W., K.N. Ngan and **R. Liyanapathirana,** A combined source-channel video coding schemes for mobile channels (6–8) 559–574

Zamora, J., D. Anastassiou, S.-F. Chang and **L. Ulbricht,** Objective and subjective quality of service performance of video-on-demand in ATM-WAN (6–8) 635–654
Zhang, J., *see* **J.F. Arnold** (6–8) 607–633
Zhang, J., *see* **M.R. Frater** (3) 269–275
Zhang, Y. and **L.-M. Po,** Variable tree size fractal compression for wavelet pyramid image coding (3) 195–208
Ziegler, M., L. Falkenhagen, R. ter Horst and **D. Kalivas,** Evolution of stereoscopic and three-dimensional video (1–2) 173–194